


Wireguard Topolgy



WireGuard Information

WAN IP: 211.72.84.160

LAN IP: 192.168.0.1/24

Target: Wireguard Client establish a tunnel and reach the server's local subnet.

WireGuard Server Configuration:

Widget

IPSec OpenVPN L2TP PPTP GRE EoGRE **WireGuard**

Configuration

Item	Setting
WireGuard	<input checked="" type="checkbox"/> Enable
Operation Mode	Server

WireGuard Server Configuration

Item	Setting
WireGuard Server	<input checked="" type="checkbox"/> Enable
Interface	WAN-1
Tunnel IP	IP: 10.0.0.1 MASK: 255.255.255.0(24)
MTU	0
Listen Port	51820
	Generate Keypairs
Keypairs	PrivateKey UJy69kM3i7uM1MNkTtvQ0aPSeT3ErteviAtnfqdhd2w= PublicKey ymUf5NsgnTK45Ax3yP9INlabgU1f7z1MLr1ddFk5lyU=
PostUp Script	iptables -t filter -I INPUT -i wgs0 -j ACCEPT && iptables -t filter -I FORWARD -i wgs0 -j ACCEPT && iptables -t mangle -I PREROUTING -i wgs0
PostDown Script	iptables -t filter -D INPUT -i wgs0 -j ACCEPT && iptables -t filter -D FORWARD -i wgs0 -j ACCEPT && iptables -t mangle -D PREROUTING -i wgs0

Peer List [Add](#) [Delete](#)

ID	Peer IP	PublicKey	Remote Subnet	Enable	Profile	Actions
1	10.0.0.2	jyhIOZT7qbhgSSfuK5ffFwSDC3NZGhfui5kixXABVUzk=		<input checked="" type="checkbox"/>	Download	Edit <input type="checkbox"/> Select

[Save](#) [Undo](#)

IPSec | OpenVPN | L2TP | PPTP | GRE | EoGRE | **WireGuard** Widget

Configuration ~ ✕

Item	Setting
WireGuard	<input checked="" type="checkbox"/> Enable
Operation Mode	Server

WireGuard Server Configuration ~ ✕

Item	Setting
WireGuard Server	
Interface	
Tunnel IP	
MTU	
Listen Port	
Keypairs	
PostUp Script	FORWARD -i wgs0 -j ACCEPT && iptables -t mangle -i PREROUTING -i wgs0
PostDown Script	iptables -t filter -D INPUT -i wgs0 -j ACCEPT && iptables -t filter -D FORWARD -i wgs0 -j ACCEPT && iptables -t mangle -D PREROUTING -i wgs0

Peer List Add Delete ~ ✕

ID	Peer IP	PublicKey	Remote Subnet	Enable	Profile	Actions
1	10.0.0.2	jyhIOZT7qbhgSSfuK5fiFwSDC3NZGhfui5kkXABVUzk=		<input type="checkbox"/>	Download	Edit <input type="checkbox"/> Select


Save Undo

Peer Configuration ✕

Item	Setting
Peer IP	IP: <input type="text" value="10.0.0.2"/> MASK: <input type="text" value="255.255.255.255/(32)"/>
PrivateKey	<input "="" type="text" value="ulHKDvGf84njOPRygoeiS/ZCx0OuL26VXFkwDOKaZWU="/>
PublicKey	<input "="" type="text" value="jyhIOZT7qbhgSSfuK5fiFwSDC3NZGhfui5kkXABVUzk="/>
Pre-sharedKey (Option)	<input "="" type="text" value="Op5j75zc5bkfAxM+pkzZnwY/fpWm8a+xusG8I43AuOE="/> <input type="checkbox"/> Enable
Remote Subnet	<input type="text"/>
Enable	<input checked="" type="checkbox"/> Enable

Save

WireGuard Client Configuration



Test Result

